

Canon

CANON SOLUTIONS AMERICA



CANON SEE IMPOSSIBLE



OCÉ DISPLAY GRAPHICS MEDIA

For UV, UVgel, Latex and Eco-Solvent Printers

Océ Display Graphics Media includes a vast selection of wide format media compatible with UV, UVgel, Latex and Eco-Solvent ink technologies. This variety of media covers photo paper, poster paper, banner vinyl, window perforated film, mesh banner, wall coverings, backlit and more. We offer quality products and competitive pricing to help you build your applications and to meet the widest variety of customer demands!



A CANON COMPANY



Papers

From posters to photography, Océ Display Graphics Media offers a selection of media that gives you excellent image quality and choice of print technology depending on the job. Being able to create output based on customer specifications is a must. Indoor or outdoor? Framed or unframed? Short or long term? Can I have a water resistant paper print? The selection of the paper media gives you these choices.

ITEM	DESCRIPTION
UPHOTG Glossy Photopaper	Offering excellent image quality comparable to traditional photo papers in glossy surfaces. UVG UV L E
UPHOTS Satin Photopaper	Offering excellent image quality comparable to traditional photo papers in satin surfaces. UVG UV L E
PHOTOECO Economy Gloss Photopaper	An economical glossy photo paper designed for bright image pop and short term use. This 8 mil thick paper will provide near photo quality images. UVG UV L E
HPSTRSOL Outdoor Poster Paper	A 212 gsm heavy weight latex saturated indoor/outdoor poster paper designed to maintain cohesive paper fiber strength when wet and when used with wallpaper paste. UVG UV L
WS7 Poster Paper	A 7.5 mil 160 gsm Wet Strength Poster Paper. Water resistant, great for outdoor posters. PVC Free. UVG UV L E
LXPH8 Satin Photopaper	An 8 mil Satin Photorealistic Paper for Latex printers L
LUSTREBOARD Poster Board	Lustreboard by Neenah. 12 pt. (215 gsm) C2S poster board for indoor pop available on a roll. UV L
ULPOSTER Poster Paper	A 12pt bright white matte poster paper for indoor sign frames or hanging signs with clips. Surface coated for digital print technologies. UV UVG L



Banners

The Océ Display Graphics Media line of scrim banner products gives you quality and a competitive price as well as true cross-platform compatibility. Using high strength yarn, this product has excellent durability with controlled surface smoothness and white point-optimal print quality. Consistent from product to product, this line will give you the same print quality between products.

ITEM	DESCRIPTION
11SCM 11 oz. Scrim	11 oz. Scrim banner matte. High yarn strength gives this the durability of many market 13oz. banner vinyls. Perfect for short-term outdoor and indoor banners. UV UVG E L
13SCG 13 oz. Scrim Banner Gloss	13 oz. Scrim banner glossy. Constructed of high tenacity denier polyester yarn, encapsulated in PVC film front and back to give you great durability and excellent print quality for indoor and outdoor banners. UV UVG E L
13SCM 13 oz. Scrim Banner Matte	13 oz. Scrim banner matte. Constructed of high tenacity denier polyester yarn, encapsulated in PVC film front and back to give you great durability and excellent print quality for indoor and outdoor banners. UV UVG E L
8MSH 8 Oz Mesh Banner w/ Liner	8 oz. Mesh with Liner designed with special knitting and balanced construction. Gives excellent print quality still allowing for 40% open space. Comes with removable liner. UV UVG E L
132XSC 13 Oz. Double-sided Blockout	13 oz. Double-sided blackout banner. An excellent choice for double-sided printable smooth banners. Special construction using an opacifying layer giving durability but smooth print surface on both sides. Excellent choice for retractable banner stands.. UV UVG E L
182XSC 18 Oz Double-sided Blockout	18 oz. Double-sided Block-out banner. Is extremely durable double side printable smooth banner vinyl. Perfect for pole banner applications where you need the extra strength. Made for lay flat, anti-curl performance. Ideal for harsh weather conditions outdoors. UV UVG E L
152XBN 15 Mil Scrimless Banner	15 mil 510 gsm Scrimless PET banner. White PVC print surface fused front and back with a heavy-weight PET film for strength and dimensional stability. Exceptionally sturdy 15 mil typically used in retractable banner stands. Outdoor durable. UV UVG E L

Adhesive Vinyls

New to our Océ Display Graphics Media line are adhesive vinyl choices. Matte or glossy vinyl. Excellent choices for decals, stickers, POP. Four products to choose from. Removable and permanent adhesives available. Double sided liners allow cross compatibility with all printer types.

ITEM	DESCRIPTION
4VYGRAPSA 4 Mil Gloss Vinyl w/Air Egress PSA	A 4 mil Glossy vinyl with grey removable acrylic adhesive resulting in "bubble free" installation when properly installed. Excellent economical choice for decals, POP graphics. Liner is made from DS (double sided) poly-ethylene liner allowing for cross compatibility. UV UVG E L
4VYMRAPSA 4 Mil Matte Vinyl w/Air Egress PSA	A 4 mil Matte vinyl with grey removable acrylic adhesive resulting in "bubble free" installation when properly installed. Excellent economical choice for decals, POP graphics. Liner is made from DS (double sided) poly-ethylene liner allowing for cross compatibility. UV UVG E L
4VYMPESA 3.2 Mil Matte Vinyl PSA Permanent	A 3.2 mil Matte vinyl with grey permanent acrylic adhesive. Excellent economical choice for decals, POP graphics. Liner is made from DS (double sided) poly-ethylene liner allowing for cross compatibility. UV UVG E L
4VYGPESA 3.2 mil Gloss Vinyl PSA Permanent	A 3.2 mil Glossy vinyl with grey permanent acrylic adhesive. Excellent economical choice for decals, POP graphics. Liner is made from DS (double sided) poly-ethylene liner allowing for cross compatibility. UV UVG E L

Papers

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHT-NESS	WHITE-NESS	FLAME RESISTANCE
UPHOTG	8 mil Glossy Photo Paper	54	164	200 gsm	Glossy	92%		138	
UPHOTS	8 mil Satin Photo Paper	54	164	200 gsm	Satin	92%		138	
PHOTOECO	8 mil Glossy Photo Paper	54 63	165	200 gsm	Glossy	95%	87%	98	
HPSTRSOL	10 mil Outdoor Poster Paper	48 54 60	150 300	212 gsm	Matte	81%	81%		ASTM E-84
WS7	7 mil Wet Strength Paper	30 36 54 60	150	160 gsm	Matte	99%	92%	104.5	ASTM E-84
LXPH8	8 mil Satin Photo for Latex	36 54 60	200	220 gsm	Satin	95%		100	
LUSTREBOARD	12pt C2S Neenah Lustreboard	50	200	235gsm	Matte	94%	94%		
ULPOSTER	12pt Bright White poster paper	63	250	260gsm	Matte	98%		84%	

Banners

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	WHITENESS	FLAME RESISTANCE	WELDABLE
11SCM	11 oz Matte Scrim Banner	54 63 80	164 82	380 gsm	Matte	Lab 92=a +1.0 b -5.5	NFPA701	YES
13SCG	13 oz Gloss Scrim Banner	39 54 63 80	164	440 gsm	Gloss	Lab 92=a +1.0 b -5.5	NFPA701	YES
13SCM	13 oz Matte Scrim Banner	39 54 63 80	164 82	440 gsm	Gloss	Lab 92=a +1.0 b -5.5	NFPA701	YES
8MSH	8 oz Mesh with Liner	39 54 63 80	164	360 gsm w/liner	N/A	N/A	NFPA701	YES
8MSHN	8 oz Mesh No Liner	80 98	164	360 gsm	N/A	N/A	NFPA701	YES
132XSC	13 oz 2x Blockout Scrim Banner	39 54 63	164	440gsm	Matte	Lab 93=a -1.0 b -3.2	NFPA701	YES
182XSC	18oz 2X Blockout Scim Banner	39 54 80	164 82	610 gsm	Matte	Lab 92= a-0.4 b-5.5	NFPA701	YES
152XBN	15 mil Scrimless PET 2x Banner	39 54 63	164	510 gsm	Matte Xtra Smooth	Lab 90.5=a +1.2, b -5.1	NFPA701	NO

Adhesive Vinyls

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHT-NESS	WHITE-NESS	FLAME RESISTANCE
4VYGRAPSA	4 mil Vinyl Gloss Rem Grey PSA	54	150	4 mil	Glossy	100%	70-80	89	-
4VYMRAPSA	4 mil Vinyl Matte Rem Grey PSA	54	150	4 mil	Matte	100%	70-80	89	-
4VYMPESA	4 mil Vinyl Matte Grey Perm PSA	54	150	3.2 mil	Matte	100%	70-80	89	-
4VYGPESA	4 mil Vinyl Glossy Grey Perm PSA	54	150	3.2 mil	Glossy	100%	70-80	89	-

Wall Décor

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHT-NESS	WHITE-NESS	FLAME RESISTANCE
WCVCA	20 oz. Wall Vinyl Canvas with PSA Type II	54	100	20 oz yd	Canvas	95%	>88%		NFP ICB Class A Rating
WCVCL	20 oz. Wall Vinyl Suede Type II	54	75 150	20 oz yd	Suede	100%	>88%		NFP ICB Class A Rating
WPI0T	10 pt. Wall Covering Textured PP	54	150	225 gsm	Textured	97%	88%		ASTM E-84
WPI0S	10 pt. Wall Covering Smooth PP	54	150	225 gsm	Smooth	97%	88%		ASTM E-84
WC2SM	17 pt. Wall Covering Smooth Type II	54	100	313 gsm	Smooth	100%	92%	96	ASTM E-84
WC2ST	17 pt. Wall Covering Stipple Type II	54	100	313 gsm	Stipple	100%	93%	96	ASTM E-84
PHTX	PhotoTex Repositionable Fabric	54 60	100	240 gsm	Matte	100%			ASTM D-1929-11

Window Graphics

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHT-NESS	WHITE-NESS	FLAME RESISTANCE
GLASADW	8 mil Glass Apeel White	54 60	150	8 mil	Matte				-
GLASADC	6 mil Glass Apeel Clear	54 60	150	6 mil	Clear	Optically Clear			-
WINPERF37	Window Perf Film 30/70 liner	54 60	164		Gloss	N/A	N/A	N/A	N/A
WINPERF37C	Window Perf 70/30 Optically Clear w/liner	54	150	6 mil	Clear	N/A	N/A	N/A	N/A
WNPERF46	Window Perf Film 40/60 liner	54 60	150		Gloss	N/A	N/A	N/A	N/A
2CCUV	2 mil Clear Window Cling Low tack	60	100	80 gsm	Clear	Optically Clear			-

Floor Graphics

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHT-NESS	WHITE-NESS	SLIP RESISTANCE
TEXWALK	14 mil TexWalk Textured Vinyl w/PSA	23 49	10 82	14 mil	Matte	100%	-	-	ASTM D-2047
ASPHLT ART	23 mil Asphalt Art Aluminum Based w/PSA	24 48	10 33 100	23 mil	Matte	100%	-	-	ASTM D-2047
CLEARWALK	20 mil Textured Clear Vinyl with/PSA	54	33 100	20 mil	Clear Matte	N/A	-	-	ASTM D-2047

Films

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHT-NESS	WHITE-NESS	FLAME RESISTANCE
ULCLR Film	5 mil Optically Clear Polyester Film	36 54	100	165 gsm	Clear				
UVGBG/UVBGM Film	100% Polyester film with grey back Glossy or Matte	36 50	100	220 gsm	Glossy or Matte	100%			
ULBCKLIT Film	8.2 Semi-Matte Backlit Film	36 54 60 72	100	8.2 mil	Semi-Matte				
BLITSOL Film	7.5 mil Matte Backlit Film	30 36 54 60	100	180 gsm	Matte	50%			
10DFS Film	10 mil Blockout Display Film 2X	36 50	100	240 gsm	Matte	99%			
6008	8 mil Matte Polypropylene	24 36 42 50 60	100 200	130 gsm	Matte	>90%		>130	Class A

Specialty

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHT-NESS	WHITE-NESS	FLAME RESISTANCE
SMART	15.5 mil Smooth Fine Art 100% Cotton Paper	17 44	66	190gsm	Matte			84%	
STYRENE15	.15 Digital Styrene	50	100	0.15	Matte	100%			
STYRENE20	.20 Digital Styrene	50	100	0.20	Matte	100%			
UCAN	19 mil Universal Poly Cotton Canvas	60	75	360 gsm	Satin	98%	93		
UCANPOLY	12.5 mil Universal 100% Polyester Canvas	60	150	235 gsm	Satin	100%	92		
LITTEX	190 gsm 100% Polyester Fabric	63 102 126	77 yds	190 gsm	Matte				



Wall Décor

Whether your job needs a short term wall graphic for an event, or long term interior decor, Océ Display Graphics Media has a wide range of products to work on your printer platform. Our wall covering wide format media cover paper with pre-pasted adhesive, non-woven Type II and durable wall vinyl with different textures. These products are compatible with multiple print technologies so you have options. Many of these materials are UL Greenguard approved with the Océ Arizona and the Océ Colorado UVgel ink technology.



ITEM	DESCRIPTION
WCVCA Wall Vinyl with PSA	20 oz. Wall Vinyl embossed with Canvas look and added Ultra removable adhesive for perfect wall graphic installation every time. Printable UVG UV L E
WCVCL Wall Vinyl	20 oz. Wall Vinyl with Classic "Suede" texture. Type II certified installation with wall paper paste. Installer recommended. UV UVG E L
WP10T Wall covering	10 mil PVC Free wall covering with pre-pasted backing. Textured or Smooth finish. Easy water bath install. Easy removal. Printable UVG UV L
WP10S Wall covering	10 mil PVC Free wall covering with pre-pasted backing. Textured or Smooth finish. Easy water bath install. Easy removal. Printable UVG UV L
WC2SM Wall covering	17 pt. 370gsm Smooth matte wall covering. Material is laminated to non-woven PET back. Type II certified installation with wall paper paste. Installer recommended. UV UVG E L
WC2ST Wall covering	17 pt. 370gsm Stipple wall covering. Material is laminated to non-woven PET back. Type II certified installation with wall paper paste. Installer recommended. UV UVG E L
PHTX Repositionable Fabric	12 mil PhotoTex Repositionable self-adhesive Fabric for digital wall graphics applications. UV UVG L E

Window Graphics

With this application and wide format media available, Océ Display Graphics Media continues to expand our offering. Improved low tack adhesive technology has allowed for increased product availability in the polyester film market both optically clear and opaque white. We have added window perforated film to our selection in

ITEM	DESCRIPTION
GLASADW Glass Apeel White	Glass Apeel™ is a new peel and place window film with special suction that release onto the glass or metal. Excellent for daytime window graphics. Available in White. UVG UV L E
GLASADC Glass Apeel Clear	Glass Apeel™ is a new peel and place window film with special suction that release onto the glass or metal. Double-sided decal applications. Available in Clear. L E
WNPERF37 70/30 Window Perf with black back and liner	70/30 Universal window perforated film made of a 6.3 mil White PVC face, with black back, with 30% open area. Uses a clear removable adhesive, laminated to a Kraft liner, treated for capturing UV, eco-solvent and latex inks. UV UVG L E
WINPERF37C 70/30 Window Perf Optically Clear w/ liner	70/30 Optically Clear Window perforated film for inside mount applications. PVC clear face laminated to a kraft liner, 70% printable surface area. UV UVG L E
WNPERF46 60/40 Window Perf with black back and liner	60/40 Universal window perforated film made of a 6.3 mil White PVC face, with black back, with 40% open area. Uses a clear removable adhesive, laminated to a Kraft liner, treated for capturing UV, eco-solvent and latex inks. UV UVG L E
2CCUV Window Film	2 mil Optically Clear Film with low tack adhesive for window applications. 100% Polyester film. UV UVG



Floor Graphics

Océ Display Graphics Media offers products that allow for a “Print and Go” application. These products work across several print platforms and have non-slip safety ratings so you can print, cut and install without additional lamination. Indoor and outdoor applications can be achieved.

ITEM	DESCRIPTION
TEXWALK Floor Graphic	An 14 mil opaque textured matte vinyl, with fabric backing and repositionable solvent acrylic adhesive. UV UVG L E
ASPHLT ART Street Graphic	A 23 mil aluminum, glass bead non-slip coating and adhesive back for outdoor sidewalk and street graphics. UV L
CLEARWALK Clear Vinyl	A 20 mil textured translucent floor graphic that can be applied indoors on various surfaces. Excellent choice for pool or shower areas. UV UVG L E

Films

From backlits to banners to retractable displays Océ Display Graphics Media have a wide format film media product to help you complete your job. Polypropylene can be used for short term banners and banner stands. Create high quality images on one of our backlit products. Design durable retractable banner or POP signs with the blackout display film.

ITEM	DESCRIPTION
ULCLR Film	A 5 mil optically clear 100% polyester film for clear film applications. Excellent color gradation and handles high contract images well. UV L E
UVBGB/UVGBM Glossy or Matte Grey Back Rollable film	6.4 mil bright white 100% polyester film for excellent image quality. Glossy or Matte surface available. UVG UV L E
ULBCKLIT Semi Matte Polyester Backlit	An 8.2 mil semi matte polyester backlit film which holds heavy ink loads to give vivid colors and excellent image quality. UVG UV L E
BLITSOL Matte Backlit Film	A universal 7.5 mil polyester (PET) Backlit film, designed to produce a high quality matte image. UV UVG L E
10DF Blockout Film	10 mil 235gsm Blockout display film. Double sided print surface. Water Resistant. Lay flat properties. Economical choice for banner stands, POP, transportation signs. UV UVG L E
6008 Matte Polypropylene	8 mil 200 gsm Polypropylene. Matte surface for water resistance. Cross platform printer capability. Excellent choice for short term indoor banners, banner stands, posters. UV UVG L E

Specialty

This group of Océ Display Graphics Media gives you some ideas for more custom applications. Canvas and fine art paper for home décor. Fabric for backlit and front print applications with SEG frames. Create POP signage on rolled digital styrene allowing for applications in a smaller workspace.

ITEM	DESCRIPTION
SMART Smooth Fine Art Paper	15.5 mil Smooth Fine Art 100% Cotton Paper for photographic quality prints and the look of matte art reproduction. UV UVG L
STYRENE15 Matte	Traditional Digital Styrene matte white in .15 thickness on a 3 inch core roll. Excellent choice for POP signage—indoor and outdoor. UV UVG
STYRENE20 Matte	Traditional Digital Styrene matte white in .20 thickness on a 3 inch core roll. Excellent choice for POP signage—indoor and outdoor. UV UVG
UCAN Canvas	19 mil Bright white Universal Poly Cotton Satin Blend Canvas. Specifically designed for the décor market. Its high white point, wide-color gamut and High Dmax value make it a choice for short term photography, art reproduction, backdrops, and murals. UVG UV L E
UCANPOLY Economical Canvas	Economical canvas alternative from 100% polyester fibers. Looks like poly blend canvas but lighter weight and more flexible for box framing. Alternative to other polyester cotton blend canvas materials. UVG UV E L
LITTEX Polyester Fabric	Woven 195 gsm 100% Polyester coated fabric. Crease-free, watertight, airtight. Perfect for lightboxes, tents, frame systems. UV L E

**OCÉ DISPLAY GRAPHICS MEDIA
PRODUCT APPLICATIONS**

PAPER	Point of Purchase Indoor Wall Art Photography Outdoor Event Posters
BANNER	Outdoor Banners Building Drapes Fence Mesh Barriers Indoor Banners Pole Banners Retractable Banner stands
ADHESIVE VINYL	Decals and Stickers POP Indoor Signage Directional Signage
WALL DÉCOR	Wall Décor Short-term Wall Graphics Removable Trade Show Wall Graphics Wall Décor Long-term Type II
WINDOW GRAPHICS	POP Interior and Exterior signage Double Sided POP Decals Retail Window Backlit graphics POP Vue Thru Window Signage Interior Glass Privacy Barrier
FLOOR GRAPHICS	POP Interior Floor and Wall Graphics POP Outdoor Ground Graphics Event Graphics Directional Signage
FILMS	Indoor Interior Lightbox POP Lighted Displays Trade Show Event Banners Outdoor Durable Event Signs Outdoor Bus Shelter Transit Backlits
SPECIALTY	Canvas Home Décor Fine Art Paper POP Styrene Signs Canvas Indoor Signage Banners Backlit with SEG Frames



Canon is a registered trademark of Canon Inc. in the United States and elsewhere. "Océ" is a trademark or registered trademark of Océ-Technologies B.V. in the United States and elsewhere. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. ©2018 Canon Solutions America, Inc. All rights reserved.

IS-34245 CSA DS 6/19/18 CC/PDF

Canon

CANON SOLUTIONS AMERICA

OCÉ IMAGING SUPPLIES
100 PARK BLVD., ITASCA, IL 60143

P: 1-800-323-4827 | F: 1-800-351-0085
ocesuppliesoc@csa.canon.com
CSA.CANON.COM