



PHOTO TEX™

Repositionable Fabric for Aqueous, UV, UVgel and Latex printers

Product Description

Photo Tex is a peel and stick, US patented, adhesive material made of polyester fabric. It can be installed on almost any surface and remain adhered in all-weather conditions. It's dependable adhesive can be removed and reused multiple times without any alteration or loss of StikAbility™. This fabric material is non-toxic, green and phthalates free. Photo Tex the original version, is compatible with aqueous inkjet, UV, UVgel, latex and the Océ ColorWave 700 printer.

SPECIFICATIONS

Physical properties*

- Caliper: 12 mil
- Basis Weight: 240 gsm

*Target Values

Features

- Repositionable Fabric with psa
- Vivid Sharp print results
- Cross Platform Compatibility
- Fabric Look and feel
- 99% Residue Free removal

Recommended Storage Conditions and Shelf Life

- Temperature 55°-90° F. (20°-50° C).
Relative Humidity 30-70%
- Shelf life-2 years with proper storage
- Allow material to stabilize to room conditions 24 hours before use

Environmental, Health & Safety

- No Material Safety Data Sheet required.
- Waste not suited for recycling.
- Fire Rating ASTM D1929-11

- Biodegradable over time
- No PVC
- Non Toxic

Main Applications

- Wallcovering Borders, Murals
- Wall Advertising Messaging
- POP
- Event Messaging

Finishing Recommendations

Can be liquid laminated for longer outdoor longevity. You can contour cut (kiss-cut) Photo Tex easily.

This information is presented as a general guide and is not a performance guarantee. The user should determine prior to use the suitability of the material for the specific application or purpose.

Important

Printer and driver setting need set up to ensure the best performance. Appropriate ink loads must be set

for the ink/printer combination being used. Please refer to the Photo Tex specification sheet on our website for specific printer/ink information.

Printer/Ink Compatibility

Photo Tex is recommended for use with the Océ ColorWave 700 printer. Photo Tex Original is printable on aqueous pigment inks, latex, UVgel, UV curable. Please see the Photo Tex specification sheet for more specific information on results and waterfastness with your printer and ink combination.

Profiles

ICC color profiles will improve image quality and optimize ink limits for improved drytime, wider color gamut, and more accurate color matching. The Océ ColorWave 700 Printer can use the ABBND profile.



OCÉ UV CURABLE, LATEX AND DISPLAY GRAPHICS MEDIA SUPPLIES

Application Instructions

Please refer to the guide found on the website.

Selected Available Roll Sizes

ITEM NUMBER	WIDTH X LENGTH	QTY. PER CARTON	CORE
PHTX24100	24" x 100'	1 Roll	3"
PHTX36100	36" x 100'	1 Roll	3"
PHTX42100	42" x 100'	1 Roll	3"
PHTX54100	54" x 100'	1 Roll	3"
PHTX60100	60" x 100'	1 Roll	3"

Canon is a registered trademark of Canon Inc. in the United States and elsewhere. "Océ" is a trademark or registered trademark of Océ-Technologies B.V. in the United States and elsewhere. Océ ColorWave is a registered trademark of Océ-Technologies B.V. in the United States and elsewhere. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. © 2018 Canon Solutions America, Inc. All rights reserved.

IS-34182 CSA DS 8.16.18 CC/PDF



CANON SOLUTIONS AMERICA

OCÉ IMAGING SUPPLIES
100 PARK BLVD., ITASCA, IL 60143

P: 1-800-323-4827 | F: 1-800-351-0085
ocesuppliesoc@csa.canon.com
CSA.CANON.COM