



SPEC SHEET

OCÉ ID8S

8 Mil Satin Photopaper Aqueous Inkjet Media

Product Description

An 8 mil (200 gsm) satin photopaper. Océ Instant Dry ID8S is a premium pe-photopaper meeting the demands for high quality photorealistic reproduction. The ultra white base with microporous coating means your prints will be instantly dry and water resistant; while the thinner base allows you to save money and still provide photographic output. Universal compatibility is optimized for today's wide gamut printers. Océ Instant Dry ID8S optimizes natural skin tones and more neutral Lab values.

SPECIFICATIONS

Physical properties*

- Caliper: 8 mil
- Basis Weight: 200 gsm
- Gloss: (60°) 17% ±5
- Opacity: 78%
- Whiteness: 145 CIE
- Lab = 92.2±5, a = 0.04±3, b = -2.4±5

*Target Values

Features

- Instant dry
- Photorealistic image quality
- Universal Compatibility
- High Ink Load limit

Recommended Storage Conditions and Shelf Life

- Temperature 60°-75°F. (15°-25°C).
Relative Humidity 30-70%
- Shelf life-2 years with proper storage
- Repack opened rolls when not in use.
- Allow material to stabilize to room conditions 24 hours before use

Environmental, Health & Safety

- No Material Safety Data Sheet required.
- Waste not suited for recycling

Main Applications

- Color and Black and White photographic prints
- Indoor display graphics
- Short term outdoor if using pigment inks and lamination.

Printer/Ink Compatibility

Océ ID8S is recommended for use in most photographic, and display graphics inkjet printers including: Epson® Ultra Chrome and K3 series, Vivid Magenta series, Canon® PROGRAF® and IPF series, as well as Hewlett Packard® Z, series and HP5500 series printers.

Application Instructions

Please refer to finishing section below.

Finishing Tips

Prints may be laminated with pressure sensitive or low melt thermal laminate for additional scratch and moisture protection when needed.

Important

Printer and driver settings need careful set up to ensure the best performance. Appropriate ink loads must be set for the ink/printer combination being used.

This information is presented as a general guide and is not a performance guarantee. The user should independently determine prior to use the suitability of the material for the specific purpose.

ICC Profiles

ICC Color profiles will improve image quality and optimize ink limits for improved drytime, wider color gamut, and more accurate color matching.

OCÉ ID8S

Aqueous Inkjet Media

Processing Tips

- Outside of the roll is side to be printed.
- Print in a dust and dirt free environment
- 55°-90° F. (10°-35° C), 20-90% R.H.

Profiles

On typical aqueous inkjet printers you should be able to choose a polypropylene profile or synthetic film.

Selected Available Roll Sizes

ITEM NUMBER	WIDTH X LENGTH	QTY. PER CARTON	CORE
ID8S24100	24" x 100"	1 Roll	2"
ID8S36100	36" x 100'	1 Roll	2"
ID8S42100	42" x 100'	1 Roll	2"
ID8S44100	44" x 100'	1 Roll	2"
ID8S50100	50" x 100'	1 Roll	2"
ID8S54100	54" x 100'	1 Roll	2"
ID8S60100	60" x 100'	1 Roll	2"

Canon is a registered trademark of Canon Inc. in the United States and elsewhere. Océ is a registered trademark of Océ-Technologies B.V. in the United States and elsewhere. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. Neither Canon Inc., Canon U.S.A., Inc., nor Canon Solutions America, Inc. represents or warrants any third-party product or feature referenced hereunder. Specifications and availability subject to change without notice. Not responsible for typographical errors. All printer output is simulated.

Canon

CANON SOLUTIONS AMERICA

OCÉ IMAGING SUPPLIES
100 PARK BLVD., ITASCA, IL 60143

P: 1-800-323-4827 | F: 1-800-351-0085
ocesuppliesoc@csa.canon.com **CSA.CANON.COM**