



OCÉ ULCLR CLEAR POLYESTER FILM

5 mil Optically Clear Polyester Film for use with UV, Latex, and Eco-solvent printers

Product Description

Océ ULCLR Clear polyester film that accepts high ink loads across many ink platforms. Océ ULCLR film provides high contrast and excellent color gradation. It allows for static-free and curl free printing. Although clear film can be used for screen positives, it has become a widely used media for interior graphics for point of purchase with printers who use white ink. Compatible with UV, Latex and Eco solvent printers.

SPECIFICATIONS

Physical properties*

- Caliper: 5. mil
- Basis weight: 165 gsm
- Material: 100% Polyester

*Target Values

Features

- Excellent image quality
- Instant dry
- Static Free
- Curl Free

Recommended Storage Conditions and Shelf Life

- Temperature 59°-86°F. (19°-30°C).
- Relative Humidity Printing Range: 35-65% Temperature 70°F.
- Repack opened rolls when not in use.
- Store in original packaging and plastic bag. Best stored in a cool, dry area.
- Store unused media in original packaging, vertically
- One year at conditions noted above.

- Allow material to stabilize to room conditions 24 hours before use.

Environmental, Health & Safety

- No Material Safety Data Sheet required
- Waste not suited for recycling

Main Applications

- Screen Positives
- Interior POP signs

Printer/Ink Compatibility

Recommended for use in the UV, Latex and Eco solvent printers.

Media Handling

To avoid smudges and marks on your finished print we recommend handling the coated surface while wearing cotton gloves. Store unused media in original packaging, vertically. For best results let media acclimate to printing room conditions for 48 hours before use.

Finishing Tips

Should be handled carefully after printing in order to avoid fingerprints. Can be used for interior graphics without any other finishing.

Important

Printer and driver settings need careful set up to ensure the best performance. Appropriate ink loads must be set for the ink/printer combination being used.

Color Profiles

ICC color profiles will improve image quality and optimize ink limits for improved dry time, wider color gamut, and more accurate color matching. See your printers guide for selection.

This information is presented as a general guide and is not a performance guarantee. The user should independently determine prior to use the suitability of the material for the specific purpose.



OCÉ ULCLR CLEAR POLYESTER FILM

Display Graphics Media

Selected Available Roll Sizes

ITEM NUMBER	WIDTH X LENGTH	QUANTITY PER CARTON	CORE SIZE
ULCLR36	36" x 100'	1 Ctn	3"
ULCLR54	54" x 100'	1 Ctn	3"

Canon is a registered trademark of Canon Inc. in the United States and elsewhere. "Océ" is a trademark or registered trademark of Océ-Technologies B.V. in the United States and elsewhere. Océ ColorWave is a registered trademark of Océ-Technologies B.V. in the United States and elsewhere. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. © 2018 Canon Solutions America, Inc. All rights reserved.


IS-34255 CSA DS 6/4/18 CC/PDF



CANON SOLUTIONS AMERICA

OCÉ IMAGING SUPPLIES
100 PARK BLVD., ITASCA, IL 60143

P: 1-800-323-4827 | F: 1-800-351-0085
ocesuppliesoc@csa.canon.com



CSA.CANON.COM